

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Problem Image Mailbox.**

WRRP1 in BALB/C Spleens



Complementation of *whoA* in hMDMs

Data 7/10/00 MDM.CG



Hour After Infection

Figure 2




Figure 3

WRRP1/pGSG5 in hMDMs




Figure 4

Spleen persistence: percent infected

AF-127




Figure 5

BALB/c spleens 1 week post-inf.




Figure 6

pGSG5 maintenance in broth culture




Figure 7

Persistence of WRRP1/pGSG5




Figure 8
1

WRRP1/pGSG5 in BALB/c organs




Figure 9

1 - 3 X cutters




Figure 10